Family and Social Services Administration
Division of Family Resources
BUREAU OF CHILD CARE
402 West Washington Street, Room W386
Indianapolis, Indiana 46204

WRITTEN NUTRITION/FOOD SERVICE PROGRAM SUPPLEMENT INFANT / TODDLER CHILD CARE CENTERS

The attached form is to be used by Infant/Toddler Child Care Centers for the purpose of reporting the practices within their nutrition/food service program as required by licensing requirements 470 IAC 3-4, established and promulgated in accordance with IC 13-5-3.

PURPOSE

- 1. To provide a written statement of your knowledge of and intent to follow the Nutrition/Food Service and Sanitation Regulations of 470 IAC 3-4.7.
- 2. To provide a reference for the interpretation of a portion of child care licensing rules.
- 3. To provide an educational tool for staff.

WHAT TO SEND

IF THIS IS A PROPOSED (NEW SITE OR NEW OWNER) FACILITY, YOU MUST SUBMIT AN APPLICATION FOR LICENSURE PRIOR TO SUBMITTING THIS PROGRAM.

You must send:

- 1. Two (2) identical programs; and
- 2. Two (2) identical sets of attachments.

Each set of attachments must include:

- a. One (1) week's menu for toddlers;
- b. one (1) week's menu for infants; and
- c. suggested feeding plans signed and dated by your consulting physician for infants.
- 3. All centers must also submit "Written Nutrition/Food Service Program for Child Care Centers."

MAIL

Send the two (2) programs and two (2) sets of attachments to:

MS02
Family and Social Services Administration
Division of Family Resources
BUREAU OF CHILD CARE
402 W. Washington Street, Room W386
Indianapolis, IN 46204

ADDITIONAL INFORMATION

General

- 1. For questions about the program, call (317) 232-4469.
- 2. The programs will be reviewed upon receipt; and, when approved, one will be returned to the facility, and one will be retained by the Division of Family Resources.

If the programs are not approved, both programs will be returned to the facility with a letter indicating the noncompliances. Both programs must be corrected and resubmitted to the Division of Family Resources for approval.

3. For your assistance, the following have been included:

Sample feeding plan for infants;

sample infant menu form and sample menu;

sample toddler menu form;

information on infant/toddler feeding plans and menus; and

bottle sterilizing procedures.

4. You must <u>send one (1) original program</u>, one (1) original set of attachments and one (1) copy of the program with one (1) copy of the attachments.

INFANT FEEDING PLANS

Prior to admission to the center, a feeding plan shall be established and written for each infant. The initial feeding plan for each <u>infant</u> must be signed and dated by either the infant's physician or by your consulting physician. The feeding plan must be continually updated by the physician or the parent(s) for the infant's current age and diet changes.

The feeding plan must include:

- a. The type and amount of formula and/or food to be offered;
- b. the feeding time schedule, listing specific foods and fluids; and
- c. the dosage and type of vitamins and other food supplements or medications.

The feeding plan must be kept:

- a. In the infant's file;
- b. posted in the infant's room; and
- c. posted in the area where infant food preparation takes place.

As part of this "Written Nutrition/Food Service Program Supplement," you must submit <u>sample</u> feeding plans for infants which include your consulting physician's original signature and a current date. You may use the sample feeding plan attached to this program or you may design your own plan.

The written directions for feeding given by an infant's own physician will take precedence for the infant over the sample feeding plans signed by your consulting physician. The infant's physician may personalize the feeding plan when he reviews the feeding plan during the infant's pre-admission physical examination. If the infant's parents provide baby food and/or formula, they are required to supply the foods listed on the individual feeding plan signed by the infant's physician.

INFANT MENU

A one-week infant menu must be planned by the center. This infant menu may be used as a guideline for parents. The menu must be posted in each infant room and in the kitchen or area used for infant food preparation. A sample menu form for infants is attached.

The following are guidelines for writing menus:

- 1. Include only plain, strained vegetables, fruits and meats. Avoid mixed dinners and desserts.
- 2. All juices must be 100% juice and all non-citrus juices must be fortified with vitamin C.
- 3. When vegetables are introduced, two sources of vitamin A must be provided each week. (If lunch and dinner are provided, four sources of vitamin A must be included each week).

TODDLER MENU

Meals for toddlers should exclude foods which may cause choking, The following are examples of foods that should <u>not</u> be given to toddlers:

Grapes	Popcorn	Round candies	Hard chunks of uncooked
Peanut butter	Seeds & nuts	Large pieces of meat, especially hot dogs & sausage	vegetables & fruits

You may use the same menu for toddlers as you use for older children, as long as appropriate substitutions for the toddlers are made and marked on the menus. Mark the food that is being changed with a star (*); and at the bottom of the menu, write the name of the food which will be used as a substitute. For example:

Popcorn *	
Crackers	

Separate menus for toddlers are also acceptable.

Enclosed:

- 1. Sample Infant Menu
- 2. Infant Menu form
- 3. Infant Feeding form and Suggested Feeding Plan Guidelines
- 4. Toddler Menu form
- 5. Bottle Sterilizing Procedure
- 6. Breast Milk Procedure

Nam	ne of facility							Date (month	, day, year)		
Loca	ation							County			
City						ZIP code		Telephone n	umber (with a	rea code)
								()		
Mail	ing address (if different from above)							(,		
Nam	ne of director										
This	report prepared by:							Telephone n	umber		
								()		
L	ist the number of children licensed for in the firs.	t column	and ave				mn.				
				Licens	ed F	or		Average	Daily Cens	us	
	6 weeks to 1 year										
	1 year										
<i>(</i>	Check "Yes" for each item if it is a statement oractice. If the statement does not apply to	nt of the your fac	cility, ch	neck "NA	". C	Complete all question	ne stateme ns.	nt does no	ot agree wi	th your	
					NS A	ND MENUS					
	Each infant has a feeding plan. The feeding plan is:	☐Yes	Yes No NA 4. All food allergies, special diets and vitamin and mineral supplements are approved in writing by a physician.							□No	□NA
	a. Kept in the infant's file	☐Yes	□No	□NA		are approved in writing	g by a physic	cian.			
	b. Posted in the infant's room	☐Yes	□No	\square NA	5.	Menus for infants and	toddlers are	written	☐Yes	□No	\square NA
	c. Posted in the infant food preparation area.	☐Yes	□No	\square NA		at least one week in a	dvance.				
3.	Each feeding plan is:										
	a. Initially signed by a physician	Yes	□No								
	b. Updated as needed by parent or physician	☐ Yes	□No	∐NA							
			BOTTL	ES / FOR	MUL	A / FEEDING					
6.	Only commercially pre-mixed, ready-to-feed formula is used.	☐Yes	□No	□NA	11.	The leftover contents discarded after feedir		re	□Yes	□No	□NA
	Outdated formula is destroyed. Opened cans of formula are covered,	☐ Yes ☐ Yes	□ No □ No	□ NA □ NA	12	. During bottle feeding held by a caregiver.	the infant is	3	☐Yes	□No	□NA
0.	labeled with date and time opened, refrigerated and used within 24 hours.	☐ 1e3		LINA	13	Filled bottles are not any children put to be			□Yes	□No	□NA
9.	Formula is poured directly from the original container into the feeding bottle.	☐Yes	□No	□NA	14	. Whole or 2% milk is u receiving cow's milk.	ised for child	dren	□Yes	□No	□NA
10.	If bottles are prepared ahead of time, each poured bottle is covered, labeled with the child's name, date and time filled, refrigerated and used within 24 hours.	□Yes	□No	□NA	15	. Water offered to infar a home-style sterilize separately for five mi	r or boiled	ed in	□Yes	□No	□NA
				SANIT	ATIO	ON					
16.	The trays of high chairs are sanitized before and after meals / snacks.	☐Yes	□No	□NA	19	. Describe your sterilizi and tongs.	ng procedur	e for bottles	, nipples, co	llars, ca	ps
17.	The feeding bottle sterilizing procedure is posted in the area where the sterilizing is done.	☐Yes	□No	□NA							
18.	All bottles, nipples, collars and caps are stored in covered containers.	☐Yes	□No	□NA							

				BREAST	FEEC	DING			
20.	The center or mother supplies sterilized bottles in a clean container.	☐Yes	□No	□NA	23.	Bottles are labeled with the child's name and with the date and time filled, refrigerated and used within 48 hours.	☐Yes	□No	□NA
21.	The mother is instructed to express the	☐Yes	□No	\square NA		reingerated and used within 40 hours.			
	milk into the bottles and to refrigerate or freeze the milk.				24.	Breast milk thawed with warming is used within three hours.	Yes	□No	□NA
22.	Bottles of breast milk are returned to the center in a clean, insulated container which maintains the milk at 41° F or below.	□Yes	□No	□NA	25.	Breast milk thawed in refrigerator at 41°F or less is used within 24 hours	Yes	□No	□NA
				BABY	FOO	D			
26	Unopened commercial baby food is used.	□Yes	□No			Opened jars of baby food are covered,	□Yes	□No	□NA
	•					labeled with name, date and time opened, refrigerated and used within 24 hours.			
21.	Outdated baby food is destroyed.	∐Yes	□No	□NA	29	If a child is fed directly from the baby food	□Yes	□No	□NA
						jar, the unused portion is discarded.			
			FEEDI	NG INFAN	ITS /	TODDLERS			
30.	Infants and toddlers are fed in their own rooms.	Yes	□No	□NA	32.	Infants' and toddlers' hands are washed before and after meals and snacks.	☐Yes	□No	□NA
31.	A harness is used for each child in a high chair.	☐Yes	□No	□NA					
				TODDLER	FEE	DING			
33.	Food substitutions for toddlers are listed on the menus.	Yes	□No	□NA	35.	Divided plates and training cups or other appropriate utensils are used.	□Yes	□No	□NA
34.	Current menus are posted in the food preparation area, in the toddlers' room	☐Yes	□No	□NA	36.	Appropriate sized tables and chairs are used.	☐Yes	□No	□NA
	and where the parents may view the menus.				37.	Staff are seated with children at meals / snacks at a child-staff ratio of four infants or five toddlers to one.	□Yes	□No	□NA
	The above information and attachment practices referred to within.	s are co	orrect,	accurate	and	serve as a written commitment to follow	v the co	ntent a	nd
Sign	ature of <i>(check one)</i> □ Owner □ President of Board	l of Directo	ors 🗆 🗆	Director		Date signed (month, day, ye	ear)		

Have you attached one (1) copy of the following to each program?

- a. One (1) week's menu for toddlers
- b. One (1) week's menu for infants
- c. Suggested feeding plans signed and dated by your consulting physician for infants

DIVISION OF FAMILY RESOURCES BUREAU OF CHILD CARE

State Form 49950 (R / 12-06) / BCC 0063

The SAMPLE MENU FOR INFANTS is a guideline. Serving sizes depend upon the infant's age, size and development. Serving sizes are listed in amounts appropriate for ages 8 months and 9 - 12 months. Refer to FEEDING PLAN is signed by the infant's physician and must be followed by the child care facility.

INSTRUCTIONS: * If dry cereal is used, mix cereal and formula in a bowl. Feed with a spoon.

- Vitamin A food source If 1 2 meals per day are served, 2 Vitamin A food sources must be offered per week.

 If 3 meals per day are served, 4 Vitamin A food sources must be offered per week. (strained carrots, winter squash, spinach, apri-
- cots, liver)
- ω \sim Vitamin C food source - 1 time per day (orange juice, grapefruit juice or mixed infant juices fortified with Vitamin C).
- Provide solid foods with a texture compatible with the infant's ability to chew and swallow. For example, ground or chopped meats, well-cooked mashed vegetables or mashed, canned or cooked fruits.
- Finger foods may be offered between 9 12 months.

MEAL	PATTERN	AMOUNTS 8 Months	AMOUNTS 9 - 12 Months	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
	Formula	7 - 8 oz.	6 - 8 oz.	Formula	Formula	Formula	Formula	Formula
Breakfast 7:00 a.m.	*Baby Cereal	3 - 5T	4 - 6T	Rice Cereal	Oatmeal Cereal	Barley Cereal	Rice Cereal	Oatmeal Cereal
	Fruit	2 - 4T	2 - 4T	Bananas	Pears	Peaches	Plum	Apricots
AM Feeding	Fruit Juice Fortified with Vitamin C	4 oz.	4 oz.	Orange Juice	Apple Juice	Orange Juice	Apple Juice	Orange Juice
9:00 a.m.	Cracker or Dry Toast	1 or 1/4	2 or 1/2	Zweiback	Dry Toast	Arrowroot Cookie	Dry Toast	Zweiback
	Formula	7 - 8 oz.	6 - 8 oz.	Formula	Formula	Formula	Formula	Formula
	Meat	None	1 - 2T	Chicken	Beef	Pork	Liver A	Chicken
Lunch 12:00 Noon	Vegetable	5 - 9T	2 - 9T	Carrots A	Winter Squash A	Beets	Winter Squash A	Spinach A
	Potato or 2nd Vegetable (optional)	None	None - 6T	Mashed Potatoes	Green Beans	Peas	Spinach A	Potatoes
	Fruit	2 - 4T	2 - 4T	Applesauce	Peaches	Pears	Plums	Apricots A
PM Feeding	Formula	7 - 8 oz.	6 - 8 oz.	Formula	Formula	Formula	Formula	Formula
3:00 p.m.	Cracker or Dry Toast	2 or 1/2	2 or 1/2	Dry Toast	Zweiback	Dry Toast	Arrowroot Cookie	Dry Toast
	Formula	7 - 8 oz.	6 - 8 oz.	Formula	Formula	Formula	Formula	Formula
	Meat	None	1 - 2T	Lamb	Veal	Chicken	Pork	Beef
Dinner	Vegetable	5 - 9T	2 - 9T	Beets	Spinach A	Carrots A	Sweet Potatoes A	Winter Squash A
6:00 p.m.	Potato or 2nd Vegetable (optional)	None	None - 6T	Peas	Potatoes	Potatoes	Green Beans	Peas
	Fruit	2 - 4T	2 - 4T	Pears	Banana	Plums	Applesauce	Peaches
	*Baby Cereal	3 - 5T	None - 4T	Oatmeal Cereal	Barley Cereal	Rice Cereal	Oatmeal Cereal	Rice Cereal
Evening Feeding 9:00 p.m.	Formula	6 oz.	6 oz.	Formula	Formula	Formula	Formula	Formula

The MENU FOR INFANTS is a guideline. Serving sizes depend upon the infant's age, size and development. Serving sizes are listed in amounts appropriate for ages 8 months and 9 - 12 months. Refer to FEEDING PLAN GUIDELINES for specific amounts and kinds of foods by age group. The SUGGESTED FEEDING PLAN is signed by the infant's physician and must be followed by the child care facility.

INSTRUCTIONS: * If dry cereal is used, mix cereal and formula in a bowl. Feed with a spoon.

- Vitamin A food source If 1 2 meals per day are served, 2 Vitamin A food sources must be offered per week. (strained carrots, winter squash, spinach, apri-
- cots, liver)
- ωΝ Vitamin C food source - 1 time per day (orange juice, grapefruit juice or mixed infant juices fortified with Vitamin C).
- Provide solid foods with a texture compatible with the infant's ability to chew and swallow. For example, ground or chopped meats, well-cooked mashed vegetables or mashed, canned or cooked fruits.
- Finger foods may be offered between 9 12 months.

Evening Feeding 9:00 p.m.			6:00 p.m.	Dinner			3:00 p.m.	PM Feeding			Lunch 12:00 Noon			9:00 a.m.	AM Feeding		Breakfast 7:00 a.m.		MEAL
Formula	*Baby Cereal	Fruit	Potato or 2nd Vegetable (optional)	Vegetable	Meat	Formula	Cracker or Dry Toast	Formula	Fruit	Potato or 2nd Vegetable (optional)	Vegetable	Meat	Formula	Cracker or Dry Toast	Fruit Juice Fortified with Vitamin C	Fruit	*Baby Cereal	Formula	PATTERN
6 oz.	3 - 5T	2 - 4T	None	5 - 9T	None	7 - 8 oz.	2 or 1/2	7 - 8 oz.	2 - 4T	None	5 - 9T	None	7 - 8 oz.	1 or 1/4	4 oz.	2 - 4T	3 - 5T	7 - 8 oz.	AMOUNTS 8 Months
6 oz.	None - 4T	2 - 4T	None - 6T	2 - 9T	1 - 2T	6 - 8 oz.	2 or 1/2	6 - 8 oz.	2 - 4T	None - 6T	2 - 9T	1 - 2T	6 - 8 oz.	2 or 1/2	4 oz.	2 - 4T	4 - 6T	6 - 8 oz.	AMOUNTS 9 - 12 Months
																			MONDAY
																			TUESDAY
																			WEDNESDAY
																			THURSDAY
																			FRIDAY



SUPPLEMENTAL HEALTH CARE PROGRAM FOR CHILD CARE CENTERS PROVIDING INFANT-TODDLER CARE SUGGESTED FEEDING PLAN

BUREAU OF CHILD CARE DIVISION OF FAMILY RESOURCES

Date of birth (month, day, year)

State Form 49963 (R / 12-06) / BCC 0073

INSTRUCTIONS:

Name of child

Prior to admission, a feeding plan shall be established and written for each infant (age 6 weeks - 12 months) in consultation with the parents and based on the written recommendation of the child's pediatrician or family physician. Feeding plans must be continually updated by physician or parent. [470 IAC 3-4.7 (b)]

The following feeding plan has been recommended for this child.

Age in Months	Time to Feed	Formula / Food Item and Amount	Special Instructions	Signature and Date of Parent or Physician
Signature o	of physician / nu	rse practitioner		Date signed (month, day, year)

FEEDING PLAN GUIDELINES

INSTRUCTIONS: This is a guideline. Each child will grow at a different rate.

- 1. Formula and juice may be offered in a training cup when a child is ready.
- 2. Formula is used until 12 months unless otherwise stated by a physician.
- 3. Only plain, strained, mashed or chopped vegetables, fruits and meats are offered.
- 4. Most children are ready for foods of coarser consistency between 9 10 months of age. Mashed or chopped table foods may be used.
- 5. Strained or mashed foods should be introduced at 6 months if the infant's neuromuscular system has developed appropriately. Indications for solid foods are: the ability to swallow non-liquid foods, to sit with support, head and neck control, and to show that the child is full lean back or turn away.
- 6. Finger foods may be offered between 9 12 months when infant is developing finger / hand coordination.

		2 MONTHS - 5 MONTHS		
TIME INTERVAL		AMOUNT EA	ACH FEEDING	
	Month 2	Month 3	Month 4	Month 5
6:00 a.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.
10:00 a.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.
2:00 p.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.
6:00 p.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.
10:00 p.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.
2:00 a.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.

		6 MON	THS - 12 MONTHS		
	Month 6	Month 7	Month 8	Month 9	Months 10, 11, and 12
Total Amount of Formula Per 24 Hours	30 - 48 oz.	30 - 32 oz.	29 - 31 oz.	26 - 31 oz.	24 - 32 oz.
7:00 a.m.	5 - 8 oz. formula 2 - 3T baby cereal *	6 oz. formula 2 - 3T baby cereal *	7 - 8 oz. formula 3 - 5T baby cereal *	7 - 8 oz. formula ** 4 - 6T baby cereal * 2 - 4T fruit	6 - 8 oz. formula ** (1cup) 1/4 - 1/2 baby cereal * 2 - 4T fruit
9:00 a.m.	5 - 8 oz. formula	6 oz. formula	1/2 cup Vit. C fortified fruit juice 1/4 dry toast or 1 cracker	1/2 cup Vit. C fortified fruit juice 1/2 dry toast or 2 crackers	1/2 cup Vit. C fortified fruit juice 1/2 dry toast or 2 crackers
12:00 Noon	5 - 8 oz. formula 1/2 dry toast or 2 crackers	6 oz. formula 2 - 3T strained vegetable	7 - 8 oz. formula 5 - 9T vegetable 2 - 4T fruit	7 - 8 oz. formula ** 1 - 2T meat 5 - 9T vegetable 2 - 4T fruit	6 - 8 oz. formula ** (1 cup) 2T meat 2 - 6T potato, rice, noodles 5 - 9T vegetable 4 - 6T fruit
3:00 p.m.	5 - 8 oz. formula	oula 6 oz. formula 7 - 8 oz. formula 1/2 dry toast or 2 crackers 1/2 dry toast or 2 cracker		7 - 8 oz. formula ** 1/2 dry toast or 2 crackers	6 - 8 oz. formula ** (1 cup) 1/2 dry toast or 2 crackers
6:00 p.m.	6:00 p.m. 5 - 8 oz. formula 6 oz. fc 2 - 3T baby cereal * 2 - 3T		7 - 8 oz. formula 5 - 9T vegetable 2 - 4T fruit 2 - 5T baby cereal *	7 - 8 oz. formula ** 5 - 9T vegetable 2 - 4T fruit 1T meat 4T baby cereal *	6 - 8 oz. formula ** (1 cup) 2T meat 2 - 6T potato, rice, noodles 2 - 4T vegetable 2 - 4T fruit
9:00 p.m.	5 - 8 oz. formula		May start sleeping	g through the night.	

^{*} If dry cereal is used, mix cereal and formula in a bowl. Feed with a spoon. ** Formula may be offered in a training cup.



	PM Spack			Lunch			Cliack	AM Spack		Breakfast		MEAL
Cracker	Milk or Formula	Milk or Formula	Bread	Second Vegetable or Fruit	Vegetable	Meat	Cracker	Citrus Juice or Fruit	Milk or Formula	Cooked Cereal or Toast	Fruit or Juice	FOOD
2	1/2 cup	1/2 cup	1/4 slice	1 - 2T	1 - 2T	1 - 2T	2	1/2 cup	1/2 cup	2T or 1/4 slice	1/4 cup	MINIMUM
												MONDAY
												TUESDAY
												WEDNESDAY
												THURSDAY
												FRIDAY

The menu for 2 year olds and older may be used for toddlers if appropriate food substitutions are listed on the menu.

BUREAU OF CHILD CARE 402 W. WASHINGTON ST., RM W386 INDIANAPOLIS, IN 46204

- 1. Prewash in hot detergent water. Scrub the bottles and nipples inside and out with bottle and nipple brush. Squeeze water through nipple hole during wash.
- 2. Rinse well with clean, hot water.
- 3. Rolling boil: bottles, nipples, collars, caps and tongs for no more than one (1) minute.
- 4. Air dry.
- 5. Hands must be clean and care taken in handling techniques to prevent contamination of clean bottles / nipples.
- 6. Store all items separately in a clean, covered, labeled container away from food.

OR

- 1. Bottles, bottle caps, nipples, and other equipment used for bottle feeding may be cleaned and sanitized in an approved commercial dishwasher (for Licensed Child Care Centers / Unlicensed Registered Child Care Ministries) or household dishwasher (for Class 1 and Class 11 Licensed Homes only).
- 2. Once dry, items must be stored separately in a clean, covered, labeled container away from food.

Reference: National Health and Safety Performance Standards: Guidelines for Out-of-Home Child Care Programs; 2nd edition



Breast milk is a very special product. Provide a safe and excellent source of nutrition to your breast-fed infants by following the procedure below:

- 1. The facility or the mother must supply sterilized bottles or disposable nurser bags (see "Parent Agreement").
- 2. The mother will store her milk in a bottle or bag and refrigerate or freeze the milk. The bottle or bag should contain no more than the amount of milk the child would drink at one feeding. The milk must be labeled with the child's name and the date and time collected.
- 3. The bottles or disposable bags must be brought to the center in a clean, insulated container which keeps the milk at 41° F or below (see "Parent Agreement").
- 4. Fresh, refrigerated breast milk must be used within 48 hours of the time expressed. Frozen milk may be stored in a refrigerator freezer for 2 months or stored in a deep freezer at 0° F for 6 months.
- 5. Frozen breast milk may be thawed as follows:

Note:

- (a) Frozen breast milk may be thawed under warm water, gently mixed, used within one (1) hour or refrigerated immediately and used within three (3) hours. Label the bottle with the time and date thawed and method used for thawing ("warm water" or "heat thaw").
- (b) Frozen breast milk may be thawed in the refrigerator at 41°F or below. Label the bottle with the time and date moved to the refrigerator and "cold thaw" method and use within twenty-four (24) hours. With this method, <u>never warm</u> the breast milk until ready to feed the child.

NEVER HEAT BREAST MILK IN A MICROWAVE!

Once a bottle is fed to infant, the remainder must be discarded and cannot be returned to the refrigerator.

in sterilized bottles or sterile nurser bags. I will store my milk in the appropriate serving size for my child. I take full responsibility for maintaining this milk at 41° F or below during home storage and transport to the center.

, agree to provide my breast milk for my child

Signature of parent Date (month, day, year)